


Product Datasheet model sportstyle 9193 080

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics	<ul style="list-style-type: none">• extremely light safety spectacle with a sporty design• optimal vision thanks to the shape of the uvex lens, with scratch-resistant and anti-fog coating on both sides• soft, adjustable nose piece and soft, non-slip ear pieces (uvex duo component technology) ensure a secure, pressure-free fit• for Oil & Gas Applications
Technical details Frame Material Features Colour	Front piece PC-PBT / TPE individually adjustable nose pad black

Material	Temples
Colour	PC-PBT / TPE black, grey
Manufacturer's ID code	Marking W
Applicable EN norm	166
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Conformity symbol	CE
Lens	
Material	PC
Thickness	2,1 mm
Coating	uvex supravision plus
Colour	clear
UV protection	UV 400
Filter	Marking 2C-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE
Factory symbol	

Miscellaneous

Weight

23 g

Packing

5 spectacles per box

160 spectacles per cardboard box

Standards

DIN EN 166 + DIN EN 170

PPE Category

Category II